

PACKING LIST


LIGHT SET
NSN 6210-00-337-6257
SC 6210-97-CL-E02 DTD 16 MAY 1975

5/2/83 GG
CC-B
8/11/83

<u>L/I</u>	<u>NSN</u>	<u>NOUN</u>	<u>U/I</u>	<u>QTY</u>	<u>REMARKS</u>
1	4010-00-148-1478	WIRE ROPE, 23-1/2 IN LG	EA	4 ✓	
2	4010-00-297-9991	WIRE ROPE, 35 FT LG	EA	12 ✓	
3	4030-00-233-9567	CLAMP	EA	10 ✓	
4	4030-00-599-5322	STAKE	EA	20 ✓	
5	5340-00-248-4523	STRAP	EA	8 ✓	
6	5950-00-754-6388	TRANSFORMER (RUNWAY LIGHTING)	EA	4 ✓	
7	6115-00-389-1446	GEN SET	EA	1	NOTE E
8	6150-00-665-6311	LEAD ELECT 11 lbs e	EA	15 ✓	
9	6150-00-866-2359	CABLE ASSY 7 lbs e	EA	6 ✓	
10	6210-00-209-7956	REEL CABLE, SINGLE SECT 36 lbs	EA	1 ✓	
11	6210-00-209-7963	REEL CABLE, DOUBLE SECT 50 lbs	EA	1 ✓	
12	6210-00-295-2078	LENS, RUNWAY LIGHT, WHITE	EA	30 ✓	
13	6210-00-295-2079	LENS, RUNWAY LIGHT, RED	EA	6 ✓	
14	6210-00-295-2080	LENS, RUNWAY LIGHT, GREEN	EA	12 ✓	
15	6210-00-295-2991	FIXTURE, LIGHTING	EA	6 ✓	
16	6210-00-325-3020	CHEST	EA	1 ✓	
17	6210-00-325-3021	CHEST	EA	1 ✓	
18	6210-00-325-3026	CONE 54 lbs for set	EA	36 ✓	
19	6210-00-325-3029	RACK, AIRPORT LIGHT	EA	1 ✓	
20	6210-00-344-2325	MAST SET 30 lbs e	SE	1 ✓	
21	6240-00-196-4472	LAMP	EA	40 ✓	


Pkg 2

C/N 717




2
syn

FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	EXP	ILLUSTRATION NO.	QTY
6210-337-6257	SUPPLEMENTARY EQUIPMENT, AIRCRAFT OPERATIONAL AREA LIGHT SET; airfield runway; portable; SM 5-4-6210-S02	SE	NX		
	Consisting of the following components:				
6150-866-2359	CABLE ASSEMBLY, POWER, ELECTRICAL: 2 conductors, 600 v, no. 14 AWG, 41 strands, no. 30 AWG, synthetic rubber insulated, synthetic rubber covered, MIL Spec C-3432; type CO-02HLF(2/14)0530; terminations, 1st end, male plug, 2 pole, CAA Spec L-823, Fig. 1, (A), w/protection cap, 2nd end, female plug, 2 pole, CAA Spec L-823, Fig. 1, (B), w/protection cap; 50 ft lg; MIL Spec C-26290, type III, class 1	EA	X	1	6
	(AJ)				
6210-325-3020	CHEST, AIRPORT MARKER LIGHT LENS: w/metal labels listing contents; 39-11/16 in. lg, 30-3/16 in. w, 6-1/2 in. h; ENG Dwg D-2215-1A; MIL Spec C-12044	EA	NX	2	1
	(AJ)				
6210-325-3021	CHEST, AIRPORT OBSTACLE LIGHT: w/metal labels listing contents; 24-5/8 in. lg, 24-3/8 in. w, 8-1/2 in. h; ENG Dwg D-3354-1A; MIL Spec C-12044	EA	NX	3	1
	(AJ)				



4030-233-9567



6210-325-3026



6210-295-2991




6150-665-6311

FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	EXP	ILLUSTRATION NO.	QTY
4030-233-9567	CLIP, WIRE ROPE: steel, galvanized; U-bolt; 3/16 in. dia wire rope; MS 16842, part MS 16842-2 (See Note B) ----- (CT/DISC)	EA	X	4	16
6210-325-3026	CONE, AIRPORT MARKER LIGHT: aluminum; yellow, 2 indexing indentations positioned 180 deg; MIL Spec L-7082, Fig. 7 ----- (AJ)	EA	X	5	36
6210-295-2991	FIXTURE, LIGHTING: ac, dc, 250 v; 1000 w; corrosion resistant sheet metal or plated sheet steel; wired; integral securing device; 1 medium prefocus base lamp accommodated; w/20 in. cable assy; MIL Spec L-7082 ----- (AJ)	EA	X	6	6
6240-196-4472	LAMP, INCANDESCENT: 45 w, 6.6 amp; 1 C-2 v tungsten filament; medium prefocus base, T-10 bulb, clear, white light; Lamp 6.6A/T10P ----- (AJ/GSA 7)	EA	X		40
6150-665-6311	LEAD, ELECTRICAL: stranded copper conductor, no. 12 AWC, synthetic rubber insulated, synthetic rubber covered; terminations, 1st end, 1 male plug, CAA Spec L-823, Fig. 6, w/protection cap, 2nd end, 1 female plug, CAA Spec L-823, Fig. 6, w/protection cap; 200 ft lg; MIL Spec C-26290, type II, class 1 ----- (AJ)	EA	NX	7	15




6210-295-2080




6210-344-2325



6210-325-3029



6210-209-7963



6210-209-7956

FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	EXP	ILLUSTRATION NO.	QTY
6210-295-2080	LENS, RUNWAY MARKER LIGHT: 4-1/4 in. dia, 5-1/4 in. lg; MIL Spec L-7082; Glass, green, clear or translucent ----- (AJ)	EA	X	8	12
6210-295-2079	Glass, red, clear or translucent ----- (AJ)	EA	X		6 ✓
6210-295-2078	Glass, white, clear or translucent ----- (AJ)	EA	X		30
6210-344-2325	MAST SET; airport marker light; telescopic, 9 ft 5 in. to 41 ft; w/2 leather boots; ENG PD dated 24 Feb 1955 ----- (AJ)	SE	NX	9	1
6210-325-3029	RACK ASSEMBLY, CONE, AIRPORT MARKER LIGHT: w/2 securing straps; MIL Spec R-52002 ----- (AJ)	EA	X	10	1
6210-209-7963	REEL, CABLE: Steel; Double section; 1 section 7-1/2 in. inside traverse, 1 section 4-3/4 in. inside traverse; 1.310 in. shaft hole; 24 in. flange; 14 in. w; 6 in. core; ENG Dwg D-5346-1 ----- (AJ)	EA	NX	11	1
6210-209-7956	Single section; 12-3/4 in. inside traverse; 1.310 in. shaft hole; 24 in. flange; 14 in. w; 6 in. core; MIL Spec R-52000, type I ----- (AJ)	EA	NX	12	1



4030-599-5322

13




6210-325-3031

14



5950-645-8280

15



6210-298-9606

16

FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	EXP	ILLUSTRATION NO.	QTY
4030-599-5322	STAKE, GUY: steel; T-shape; wedge point; 18 in. lg; 3 holes for securing guy; ENG Dwg D-5343-1 (See Note B) ----- (CT/DISC)	EA	X	13	20 ✓
5340-244-4523 6210-325-3031	STRAP ASSEMBLY, CONE AIRPORT MARKER LIGHT: cotton web; w/cam-lever buckle and protective tip; 72 in. lg, 2 in. w; MIL Spec S-3286 ----- (AJ)	EA	X	14	8 ✓
5950-645-8280	TRANSFORMER, POWER, ISOLATION: hermetically sealed synthetic rubber case; 6.6 amp primary, 6.6 amp secondary, 60 cycle; series-series type; 30 to 45 w lamp load; sealed on leads molded to rubber connectors, w/caps; MIL Spec T-7641 (See Note B) ----- (CL)	EA	NX	15	4 ✓
6210-298-9606	WIRE ROPE ASSEMBLY, SINGLE LEG: Steel, galvanized; 1/8 in. rope; Sliding bolt snap hook, loop w/thimble, safe line clamped, ea end; 23-1/2 in. lg; wire rope clip; ENG Dwg D-5348-1A ----- (AJ)	EA	X	16	4 ✓
6210-297-9991	Sliding bolt snap hook, loop w/thimble, safe line clamped, ea end; 35 ft lg; wire rope clip; ENG Dwg D-5348-1A2 - (AJ)	EA	X		12
	Total weight: 1200 lb Total volume: 35 cu ft				
	NOTE B: Initial issue of item is furnished by USAESCO with this set. Requisitions for replacements must be submitted to the Army Managing Activity, the Defense Supply Center, or in accordance with GSA requisitioning instructions contained in this catalog, as designated under the appropriate stock number.				